

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Irrigation & CAD (IW) Department – Chittoor District Drinking Water Project – Water allocation 6.61 TMC, water drawl permission, excluding the water requirements for Sri City & NIMZ Projects, from Kandaleru Reservoir – Supersession of the earlier (3) orders – Consolidated Orders for allocation of water for 6.61 TMC – Orders – Issued.

IRRIGATION & CAD (IW-WRG) DEPARTMENT

G.O.Ms.No. 82

Dated: 14th August, 2013.
Read the following:

1. The Vice Chairman & Managing Director, INCAP, Hyderabad, Lr. No. INCAP/D/Chittoor Drinking Water Project / Water allocation/ 475/ 2013, date 4.2.2013.
2. Govt. Memo.No.3970/WRG/2013-1, dated 20.2.2013.
3. From the ENC(I), Hyderabad, Lr. No. ENC(I)/ DCE(GDS)/ DEE1/ AEE/Chittoor Water Supply dated 31.5.2013.
4. From the ENC(I), Hyderabad, Lr.No.ENC(I)/ DCE(GDS)/ DEE1/ AEE/Chittoor Water Supply, dated 1.8.2013.

* * * *

ORDER:

In the reference 1st read above the Vice Chairman & Managing Director, INCAP, Hyderabad, with regard to issue of necessary allocation orders for 6.631 TMC inclusive of the existing allocation of 4.33 TMC from Kandaleru Reservoir and water drawl permission for the total allocation of 6.631 TMC for Chittoor District Drinking Water Project.

2. In the reference 3rd above, the ENC (I), Hyd., has submitted a comprehensive report on water allocation to Chittoor District drinking water Project and the proposal of the Engineer- in - Chief (Public Health), Hyderabad, and the details of revised raw water drawl requirements from Kandaleru Reservoir for drinking water needs in urban and rural areas requirement of 1.054 TMC for Chittoor District. The requirements are excluding the existing drawl of 1.00 TMC to Tirupathi (G.O. Ms. No. 149, dated: 29.09.1995) and 0.25 TMC to Srikalahasthi (G.O. Ms No. 47, dated: 18.04.1996). The Chief Engineer, TGP, Srikalahasthi, reported that the balance requirement of 1.054 TMC can be met from the savings available in irrigation requirement. As the first priority is to be given for drinking water requirement, it was recommended by the ENC (I), Hyderabad, and to consider the proposal of the ENC(PH), Hyd., and allocate extra quantity of 1.054 TMC of water to Chittoor drinking water supply in addition to the allocations already made. Accordingly, Govt. vide Memo No. 15069/WRG/2012-2, dated: 15.01.2013, accorded permission for drawl of raw water requirement of 1.054 TMC from Kandaleru Reservoir for drinking water needs in urban and rural areas of Chittoor District duly modifying (i.e., reducing) the earlier allocation of 2.75 TMC as 2.63 TMC. Further, stated that, the Vice Chairman and Managing Director, INCAP, reported that the water requirements projected by the ENC(PH) earlier are calculated by taking the base year as 2011 and ultimate year as 2041. But, as the Project is scheduled to be grounded by 2015, the water requirement for various purposes ie., urban and rural areas and industrial demand as allocated water from the Kandaleru Reservoir, as per the water demands for the year 2045 is reported as follows:

Urban Areas	235.91 MLD	3.04 TMC
Rural Areas	220.12 MLD	2.84 TMC
Industrial	57.10 MLD	0.73 TMC
Total	513.13 MLD	i.e., 6.61 TMC

Contd..2.

3. In the Minutes of the Review meeting held by the Hon'ble Chief Minister on 31.03.2013 at Kalikiri, it was instructed under item 2, that "the Irrigation Dept. to issue a consolidated G.O. for allocation of 6.631 TMC including earlier allocations made. The water requirements for Sri City & NIMZ may not be clubbed with this project".

4. Whereas, the Engineer- in - Chief (Irrigation), Hyderabad, has reported that the Government may be issued a consolidated G.O., for allocation of 6.61 TMC for drinking water supply to urban and rural areas of Chittoor District and also for industrial requirements as required by the INCAP. The new consolidated G.O. has to be issued duly superseding the following G.O.s/Govt. Memos issued earlier allocating drinking water to urban and rural areas and for Industrial purpose.

- | | |
|---|-----------|
| 1. G.O. Ms. No. 182, dated: 04.07.2007. | 2.95 TMC |
| 2. Govt. Memo No.9115/Maj.V/2011,
dated: 02.05.2011. | 1.30 TMC |
| 3. Govt. Memo No.15069/WRG/2012,
dated: 15.01.2013. | 1.054 TMC |

5. Whereas, in the circumstances state above and based on the report of the ENC (I), Hyderabad vide his letter dated 31.5.2013 and also instructions pertaining to water policy issued vide G.O.Ms.No.37, I & CAD Deptt., dated 21.2.2009 makes drinking water first charge on the irrigation water in the state and therefore appropriate water allocation is essential for the expeditious execution of drinking water Projects. After Reviews of the Hon'ble C.M and C.S on the said subject, a consolidated G.O. will be issued for allocation of 6.61 TMC, water drawl permission, excluding the water requirements for Sri City & NIMZ Projects, from Kandaleru Reservoir for Chittoor District Drinking Water Project, duly superseding the earlier G.O.Ms.No.182, dated. 4.7.2007, Govt. Memo.No.9115/ Maj.V/ 2011, Dated 2.5.2011 and Govt. Memo.No.15069/ WRG/2012-3, dated 15.1.2013, issued for drinking water supply to urban and rural areas of Chittoor District and also for industrial requirements as requested by the VC & MD, Infrastructure Corporation of Andhra Pradesh Limited, Hyderabad (INCAP).

6. Government after carefully, examine the matter, hereby decided to issue a consolidated G.O. for allocation of 6.61 TMC, water drawl permission, excluding the water requirements for Sri City & NIMZ Projects, from Kandaleru Reservoir for Chittoor District Drinking Water Project, duly superseding the earlier (1) G.O.Ms.No.182, dated. 4.7.2007, (2) Govt. Memo.No.9115/ Maj.V/ 2011, Dated 2.5.2011 and (3) Govt. Memo.No.15069/ WRG/2012-3, dated 15.1.2013, issued for drinking water supply to urban and rural areas of Chittoor District and also for industrial requirements as requested by the VC & MD, Infrastructure Corporation of Andhra Pradesh Limited, (INCAP), Hyderabad.

7. The Engineer-in- Chief (Irrigation), Hyderabad, shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

AJOYENDRA PYAL
Spl. CHIEF SECRETARY TO GOVERNMENT

To
The Engineer-in- Chief (Irrigation), Hyderabad.
Copy to:
The Vice Chairman & Managing Director, INCAP, Hyderabad.
The I & I (Airports) Department.
The O.S.D to Minister for M & MI.
P.S to Spl. CS (I), Irrigation Department.

// FORWARDED BY ORDER //

SECTION OFFICER